

MATERIAL SAFETY DATA SHEET

DATE PREPARED: MAY.24.2002
MSDS NO.: SC-029

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION				
PRODUCT NAME: "SUMILITE" CSL-Z7302				
CHEMICAL FAMILY: Laminated Film				
MANUFACTURER: SUMITOMO BAKELITE CO., LTD. Tennoz parkside Building,2-5-8 Higashishinagawa, Shinagawa-ku,Tokyo Japan 140-0002 phone (03) 5462-4059				
EMERGENCY ASSISTANCE:				
NAME & EMERGENCY TELEPHONE NUMBER			ADDRESS	
QUALITY ASSURANCE DEPT. AMAGASAKI PLANT SUMITOMO BAKELITE CO., LTD. (06) 6429-6949 JAPAN			2-3-47,Higashi-tukaguti-cho, Amagasaki-shi,HYOGO,661,JAPAN	
2. COMPOSITION/INFORMATION ON INGREDIENTS				
			Exposure Guidelines TLV-TWA(ACGIH)	
PEL(OSHA)	(CAS No.)	wt%	(mg/m ³)	(mg/m ³)
Components				
Polyethylene terephthalate	(25038-59-9)	30-50	Not Listed	Not Listed
Polyethylene	(24937-78-8)	50-70	Not Listed	Not Listed
3. HAZARDS IDENTIFICATION				
*** EMERGENCY OVERVIEW ***				
Slightly whitish transparent tape. Odorless.				
Not a fire hazard in open areas.				
Water fog, foam, CO ₂ and dry chemicals can be used on fires.				

MATERIAL SAFETY DATA SHEET

DATE PREPARED: MAY.24.2002
MSDS NO.: SC-029

POTENTIAL HEALTH EFFECTS:

- EYE : Solid or dusts may cause irritation or corneal injury due to mechanical action.
- SKIN : Skin absorption is unlikely due to physical properties. Mechanical injury only.
- INHALATION : Single exposure to dust is not likely to be hazardous. Vapors are unlikely due to physical properties.
- INGESTION : Ingestion is unlikely due to proper industrial handling.

CHRONIC EFFECTS/CARCINOGENICITY: Not listed on NTP, OSHA and IARC.

4. FIRST AID MEASURES

- EYE : Immediately flush with copious amounts of water for at least 15 minutes. Get medical attention.
- SKIN : Not to have met any hazardous category.
- INHALATION : No adverse effects anticipated by this route of exposure incidental to proper industrial handling.
- INGESTION : No adverse effects anticipated by this route of exposure.

NOTE TO PHYSICIANS: Treat symptomatically. Treatment may vary with condition of victim and specifics of incident.

MATERIAL SAFETY DATA SHEET

DATE PREPARED: MAY.24.2002
MSDS NO.: SC-029

5. FIRE FIGHTING MEASURES	
<u>FLAMMABLE PROPERTIES:</u>	
FLASH POINT:	None (METHOD USED: Not applicable)
FLAMMABLE LIMITS:	(LFL: Not applicable ,UFL: Not applicable)
<u>EXTINGUISHING MEDIA:</u>	Water fog, form, CO ₂ , and dry chemicals.
<u>FIRE & EXPLOSION HAZARDS:</u>	Hazardous decomposition products are CO ₂ and slightly CO and various hydrocarbons.
<u>FIRE FIGHTING EQUIPMENT:</u>	Firefighters should wear proper protective equipment.
6. ACCIDENTAL RELEASE MEASURES	
Sweep up and discard.	
7. HANDLING AND STORAGE	
<u>HANDLING:</u>	Caution with edge of sheet. After using this sheets, wash hands.
<u>STORAGE:</u>	Keep dry and cool (below 25° C) and away from direct sunlight for quality.
8. EXPOSURE CONTROLS/PERSONAL PROTECTION	
<u>ENGINEERING CONTROLS:</u>	Good general ventilation should be sufficient for most conditions. When processing at elevated temperature, provide local exhaust.
<u>PERSONAL PROTECTIVE EQUIPMENT(PPE):</u>	
<u>RESPIRATORY PROTECTION:</u>	For most conditions, no respiratory protection should be needed. When processing at elevated temperature, use an approved respiratory protection.

MATERIAL SAFETY DATA SHEET

DATE PREPARED: MAY.24.2002
MSDS NO.: SC-029

EYE PROTECTION:	Wear safety glasses with side shields.
SKIN PROTECTION:	Wear clean body-covering clothing and rubber gloves.
EXPOSURE GUIDELINES:	Not established for "SUMILITE" CSL-Z7302. See to Section 2 for component exposure guidelines.

9. PHYSICAL AND CHEMICAL PROPERTIES	
APPEARANCE.....:	Slightly whitish transparent tape.
ODOR.....:	Odorless.
BOILING POINT.....:	Not applicable.
VAPOR PRESSURE.....:	Not applicable.
VAPOR DENSITY.....:	Not applicable.
SOLUBILITY IN WATER.....:	Insoluble.
SPECIFIC GRAVITY.....:	0.9-1.1(23°C).
SOFTENING POINT.....:	Not available

10. STABILITY AND REACTIVITY	
CHEMICAL STABILITY:(CONDITIONS TO AVOID)	
Stable	
INCOMPATIBILITY:(SPECIFIC MATERIALS TO AVOID)	
No information available.	
HAZARDOUS DECOMPOSITION PRODUCTS:	
Thermal decomposition will produce mainly CO ₂ , and slightly CO, and various hydrocarbons.	
HAZARDOUS POLYMERIZATION:	
Will not occur.	

MATERIAL SAFETY DATA SHEET

DATE PREPARED: MAY.24.2002
MSDS NO.: SC-029

11.TOXICOLOGICAL INFORMATION No information available.
12.ECOLOGICAL INFORMATION No information available.
13.DISPOSAL CONSIDERATIONS Dispose of materials in compliance with governmental regulations.
14.TRANSPORT INFORMATION Not a hazardous material for DOT shipping.
15.REGULATORY INFORMATION <u>TOXIC SUBSTANCES CONTROL ACT (TSCA):</u> The ingredients of this product are all on the 8(b) inventory list.
16.OTHER INFORMATION No specific notes.

DATA PREPARED BY: T.Ushirogata QA Director and I.Matsui QA Staff Manager QUALITY ASSURANCE DEPT. AMAGASAKI PLANT SUMITOMO BAKELITE CO., LTD.
--

The information presented herein was prepared for your reference to the best of our knowledge. It is given in good faith but no warranty expressed or implied is made.